ELSEVIER

Neuroscience Letters 380 (2005) I–III

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 380

Volume 380, nos 1–2

Activation of Src tyrosine kinase in microglia in the rat hippocampus following transient forebrain ischemia
J.-S. Choi, H.-Y. Kim, J.-W. Chung, M.-H. Chun, S.Y. Kim, S.-H. Yoon, M.-Y. Lee (Korea) 1

Angiotensin-converting enzyme (ACE) interacts with dopaminergic mechanisms in the brain to modulate prepulse inhibition in mice
M. van den Buuse, T.W. Zheng, L.L. Walker, D.A. Denton (Australia) 6

Losartan blocks the excitatory effect of peripheral hypertonic stimulation on vasopressinergic neurons in hypothalamic paraventricular nucleus in rats: electrophysiological and immunocytochemical evidence
Q. Zhu, S.-Y. Guo, S. Gong, Q.-Z. Yin, T. Hisamitsu, X.-H. Jiang (PR China, Japan) 12

Changes in the expression of Hes5 and Mash1 mRNA in the adult rat dentate gyrus after transient forebrain ischemia
T. Kawai, N. Takagi, M. Nakahara, S. Takeo (Japan) 17

Differential effects of bupivacaine and tetracaine on capsaicin-induced currents in dorsal root ganglion neurons
H. Komai, T.S. McDowell (USA) 21

Melatonin attenuates amyloid beta$_{25-35}$-induced apoptosis in mouse microglial BV2 cells
M.-H. Jang, S.-B. Jung, M.-H. Lee, C.-J. Kim, Y.-T. Oh, I. Kang, J. Kim, E.-H. Kim (South Korea) 26

Localization of the Na$_v$1.8 sodium channel isoform at nodes of Ranvier in normal human radicular tooth pulp
M.A. Henry, H.J. Sorensen, L.R. Johnson, S.R. Levinson (USA) 32

Vitamin D receptor variants in 192 patients with schizophrenia and other psychiatric diseases
J. Yan, J. Feng, N. Craddock, I.R. Jones, E.H. Cook Jr., D. Goldman, L.L. Heston, J. Chen, P. Burkhart, W. Li, A. Shibayama, S.S. Sommer (USA, UK) 37

Annexin 7-immunoreactive microglia in the hippocampus of control and adrenalectomized rats
M.M. Moga, D. Dempah, D. Zhou (USA) 42

The administration of cobra venom factor reduces post-ischemic cerebral injury in adult and neonatal rats
E. Figueroa, L.E. Gordon, P.W. Feldhoff, H.A. Lassiter (USA) 48

The effects of face spatial frequencies on cortical processing revealed by magnetoencephalography
F.-J. Hsiao, J.-C. Hsieh, Y.-Y. Lin, Y. Chang (Taiwan) 54

Visualization of stress-responsive inhibitory circuits in the GAD65-eGFP transgenic mice
B. Bali, F. Erdélyi, G. Szabó, K.J. Kovács (Hungary) 60

Rapid in vitro elimination of anesthetic doses of thiopental in the isolated guinea pig brain
L. Librizzi, C. Pastori, U. de Grazia, D. Croci, M. de Curtis (Italy) 66

Reduced nNOS expression induced by repeated nicotine treatment in μ-opioid receptor knockout mice
J.-H. Yoo, J.-H. Cho, S.-Y. Lee, H.H. Loh, I.K. Ho, C.-G. Jang (Republic of Korea, USA) 70

Hemodynamic response to emotional memory recall with eye movement
T. Ohtani, K. Matsuo, K. Kasai, T. Kato, N. Kato (Japan) 75

Transient gamma-band response is dissociated from sensory memory as reflected by MMN
H. Yabe, T. Sutoh, T. Matsuoka, R. Asai, T. Hiruma, Y. Sato, H. Iwasa, S. Kaneko (Japan) 80

Differential effects of clozapine on ethanol-induced ascorbic acid release in mouse and rat striatum
Y. Hou, C.F. Wu, J.Y. Yang, L. Tu, P.F. Gu, X.L. Bi (PR China) 83

Speeded right-to-left information transfer: the result of speeded transmission in right-hemisphere axons?
K.J. Barnett, M.C. Corballis (New Zealand) 88

Retrograde dopaminergic neuron degeneration following intrastriatal proteasome inhibition
H. Miwa, T. Kubo, A. Suzuki, K. Nishi, T. Kondo (Japan) 93

Prognostic value of median and tibial somatosensory evoked potentials in acute stroke
P. Tzvetanov, R.T. Rousseff, P. Atanassova (Bulgaria) 99

The regulation of pro-inflammatory gene expression induced by pigment epithelium-derived factor in rat cultured microglial cells
T. Sanagi, T. Yabe, H. Yamada (Japan) 105

The pharmacological stimulation of NMDA receptors via co-agonist site: an fMRI study in the rat brain
R. Panizzutti, M. Rausch, S. Zurbrügg, D. Baumann, N. Beckmann, M. Rudin (Brazil, Switzerland) 111

The elicitation of phonological and semantic neuromagnetic field components by non-words in human auditory sentence comprehension

doi:10.1016/S0304-3940(05)00464-7

M. Inouchi, M. Kubota, P. Ferrari, T.P.L. Roberts (USA, Japan) 116
Evolution of brain-derived neurotrophic factor levels after autologous hematopietic stem cell transplantation in multiple sclerosis
Y. Blanco, A. Saiz, M. Costa, J.F. Torres-Peraza, E. Carreras, J. Alberch, D. Jaraquemada, F. Graus (Spain) 122
Cognitive correlates of alterations in acetylcholinesterase in Alzheimer's disease
N.I. Bohnen, D.I. Kaufer, R. Hendrickson, L.S. Ivanco, B. Lopresti, J.G. Davis, G. Constantine, C.A. Mathis, R.Y. Moore, S.T. DeKosky (USA) 127
'Mature' nerve growth factor is a minor species in most peripheral tissues
M.A. Bierl, E.E. Jones, K.A. Crutcher, L.G. Isaacson (USA) 133
Processing of conflicting cues in an attention-shift paradigm studied with fMRI
T. Thomsen, K. Specht, L. Ersland, K. Hugdahl (Norway) 138
Observation of unaveraged giant MEG activity from language areas during speech tasks in patients harboring brain lesions very close to essential language areas: expression of brain plasticity in language processing networks?
P. Grummich, C. Nimsky, R. Fahlbusch, O. Ganslandt (Germany) 143
c-Fos, *N*-methyl-D-aspartate receptor 2C, GABA-A-α1 immonoreactivity, seizure latency and neuronal injury following single or recurrent neonatal seizures in hippocampus of Wistar rat
H. Ni, Y.-W. Jiang, T. Bo, J.-M. Wang, X.-R. Wu (PR China) 149
Maximum Likelihood Integration of rapid flashes and beeps
T.S. Andersen, K. Tiippana, M. Sams (Finland) 155
The nigro-striatal and nigro-amygdaloid pathways undergo different degeneration processes in brains of dementia with Lewy bodies
E. Iseki, W. Marui, R. Yamamoto, T. Togo, O. Katsuse, M. Kato, T. Iwatsubo, K. Kosaka, H. Arai (Japan) 161
Differences in magnetization transfer ratios of the hippocampus between dementia with Lewy bodies and Alzheimer's disease
H. Hanyu, S. Shimizu, Y. Tanaka, H. Kanetaka, T. Iwamoto, K. Abe (Japan) 166
α-Synuclein binding to rab3a in multiple system atrophy
E. Dalfó, I. Ferrer (Spain) 170
Budesonide epimer R, LAU-8080 and phenyl butyl nitrone synergistically repress cyclooxygenase-2 induction in [IL-1β + Aβ42]-stressed human neural cells
M. Boedker, A. Boetkjaer, N.G. Bazan, J.-G. Cui, Y. Zhao, R.P. Pelaez, W.J. Lukiw (Denmark, USA, Spain) 176
Cerebral oxygenation declines despite maintained orthostatic tolerance after brief exposure to gravitational stress
C.C.D. Tran, M. Berthelot, X. Etienne, C. Dussault, J.-C. Jouanin, P. Van Beers, A. Serra, C.-Y. Guézennec (France) 181
Developmental change of GABAergic postsynaptic current in rat periaqueductal gray
E.-T. Hahm, J.-J. Lee, B.-I. Min, Y.-W. Cho (South Korea) 187
CD14 receptor polymorphism and Alzheimer's disease risk
O. Combarros, J. Infante, E. Rodríguez, J. Llorca, N. Peña, C. Fernández-Viadero, J. Berciano (Spain) 193
Cell proliferation is reduced in the dentate gyrus of aged but not young Ts65Dn mice, a model of Down syndrome
N. Rueda, R. Mostany, Á. Pazos, J. Flórez, C. Martínez-Cué (Spain) 197

Volume 380, no 3

Mitochondrial Ca^{2+} buffering in hypoglossal motoneurons from mouse
F. von Lewinski, B.U. Keller (Germany) 203
Homotopic and heterotopic effects of endogenous analgesia in healthy volunteers
D. Pud, E. Sprecher, D. Yarnitsky (Israel) 209
D-Amphetamine enhances skilled reaching after ischemic cortical lesions in rats
D.L. Adkins, T.A. Jones (USA) 214
The *APOC3 Sst*I polymorphism is weakly associated with sporadic Alzheimer's disease in a Chinese population
Y. Sun, J. Shi, S. Zhang, M. Tang, H. Han, Y. Guo, C. Ma, X. Liu, T. Li (China) 219
Methylation of NMDA receptor NR2B gene as a function of age in the mouse brain
C.R.M. Ravindran, M.K. Ticku (USA) 223
Geldanamycin treatment reduces delayed CA1 damage in mouse hippocampal organotypic cultures subjected to oxygen glucose deprivation
Y.-B. Ouyang, L. Xu, R.G. Giffard (USA) 229
Ebselen prevents noise-induced excitotoxicity and temporary threshold shift
T. Yamasoba, A. Pourbakht, T. Sakamoto, M. Suzuki (Japan) 234
Difference in obesity phenotype between orexin-knockout mice and orexin neuron-deficient mice with same genetic background and environmental conditions
J. Hara, M. Yanagisawa, T. Sakurai (Japan, USA) 239
Kanamycin ototoxicity in glutamate transporter knockout mice
Y. Shimizu, N. Hakuba, J. Hyodo, M. Taniguchi, K. Gyo (Japan) 243
Effect of L-type calcium channel antagonists on spermine-induced CNS excitation in vivo
K.M. Doyle, B.P. Kirby, D. Murphy, G.G. Shaw (Ireland) 247
Degeneration of dopaminergic neurons in the substantia nigra of zitter mutant rat and protection by chronic intake of Vitamin E
S. Ueda, S.-i. Sakakibara, K. Nakadate, T. Noda, M. Shinoda, J.N. Joyce (Japan, USA) 252
Homozygous partial genomic triplication of the parkin gene in early-onset parkinsonism
I.F. Mata, V. Alvarez, E. Coto, M. Blazquez, L.M. Guisasola, C. Salvador, J.M. Kachergus, S.J. Lincoln, M. Farrer (USA, Spain) 257
ADAM23 methylation and expression analysis in brain tumors

F.F. Costa, C. Colin, S.M.O. Shinjo, S.M. Zanata, S.K.N. Marie, M.C. Sogayar, A.A. Camargo (Brazil) 260
Muscle coordination changes during intermittent cycling sprints
F. Billaut, F.A. Basset, G. Falgairette (France, Canada) 265
The cannabinoid antagonist SR141716A facilitates memory acquisition and consolidation in the mouse elevated T-maze
R.N. Takahashi, F.A. Pamplona, M.S. Fernandes (Brazil) 270
Reticulo-collicular projections: a neuronal tracing study in the rat
A.E. Smit, F. Zerari-Mailly, P. Buisseret, C. Buisseret-Delmas, F. VanderWerf (The Netherlands, France) 276
Altered expression patterns of metabotropic glutamate receptors in diffuse brain injury
Z. Fei, X. Zhang, X.-f. Jiang, W.-d. Huang, H.-m. Bai (PR China) 280
Oxidized galectin-1 advances the functional recovery after peripheral nerve injury
T. Kadoya, K. Oyanagi, E. Kawakami, M. Hasegawa, Y. Inagaki, Y. Sohma, H. Horie (Japan) 284
Olfactory stimulation with scent of grapefruit oil affects autonomic nerves, lipolysis and appetite in rats
J. Shen, A. Niijima, M. Tanida, Y. Horii, K. Maeda, K. Nagai (Japan) 289
Divergent glial fibrillary acidic protein and its mRNA in the activated supraoptic nucleus
B.E. Lally, P.J. Albrecht, S.W. Levison, A.K. Salm (USA) 295
The effect of prenatal morphine exposure on memory consolidation in the chick
Y. Che, H. Sun, H. Tan, Y. Peng, T. Zeng, Y. Ma (PR China) 300
The intralimb coordination of the flexor reflex response is altered in chronic human spinal cord injury
K.M. Deutsch, T.G. Hornby, B.D. Schmit (USA) 305
Estrogen suppresses the stress response of prolactin-releasing peptide-producing cells
S. Adachi, A. Mochiduki, H. Nemoto, B. Sun, K. Fujiwara, H. Matsumoto, K. Inoue (Japan) 311
Noradrenergic receptor mRNA expression in adult rat superficial dorsal horn and dorsal root ganglion neurons
R. Nicholson, A.K. Dixon, D. Spanswick, K. Lee (UK) 316
Human umbilical cord blood cells express neurotrophic factors
C.-G. Fan, Q.-J. Zhang, F.-W. Tang, Z.-B. Han, G.-S. Wang, Z.-C. Han (People's Republic of China) 322
Altered motor cortex excitability in tinnitus patients: a hint at crossmodal plasticity
B. Langguth, P. Eichhammer, M. Zowe, T. Kleinjung, P. Jacob, H. Binder, P. Sand, G. Hajak (Germany) 326
Calcium dependence of axotomized sensory neurons excitability
C. Hilaire, P. Inquimbert, M. Al-Jumaily, D. Greuet, J. Valmier, F. Scamps (France) 330
Involvement of the laterodorsal tegmental nucleus in the locomotor response to repeated nicotine administration
H.L. Alderson, M.P. Latimer, P. Winn (UK) 335
A yellow fluorescent protein-based assay for high-throughput screening of glycine and $GABA_A$ receptor chloride channels
W. Kruger, D. Gilbert, R. Hawthorne, D.H. Hryciw, S. Frings, P. Poronnik, J.W. Lynch (Australia, Germany) 340

Letter to the Editors
A response to Granqvist et al. "Sensed presence and mystical experiences are predicted by suggestibility, not by the application of transcranial weak magnetic fields"
M.A. Persinger, S.A. Koren (Canada) 346
Reply to M.A. Persinger and S.A. Koren's response to Granqvist et al. "Sensed presence and mystical experiences are predicted by suggestibility, not by the application of transcranial weak magnetic fields"
M. Larsson, D. Larhammar, M. Fredrikson, P. Granqvist (Sweden) 348

Author Index 351
Volume of Contents I

(Contents continued from outside back cover)

The effect of prenatal morphine exposure on memory consolidation in the chick
Y. Che, H. Sun, H. Tan, Y. Peng, T. Zeng, Y. Ma (PR China) 300
The intralimb coordination of the flexor reflex response is altered in chronic human spinal cord injury
K.M. Deutsch, T.G. Hornby, B.D. Schmit (USA) 305
Estrogen suppresses the stress response of prolactin-releasing peptide-producing cells
S. Adachi, A. Mochiduki, H. Nemoto, B. Sun, K. Fujiwara, H. Matsumoto, K. Inoue (Japan) 311
Noradrenergic receptor mRNA expression in adult rat superficial dorsal horn and dorsal root ganglion neurons
R. Nicholson, A.K. Dixon, D. Spanswick, K. Lee (UK) 316
Human umbilical cord blood cells express neurotrophic factors
C.-G. Fan, Q.-J. Zhang, F.-W. Tang, Z.-B. Han, G.-S. Wang, Z.-C. Han (People's Republic of China) 322
Altered motor cortex excitability in tinnitus patients: a hint at crossmodal plasticity
B. Langguth, P. Eichhammer, M. Zowe, T. Kleinjung, P. Jacob, H. Binder, P. Sand, G. Hajak (Germany) 326
Calcium dependence of axotomized sensory neurons excitability
C. Hilaire, P. Inquimbert, M. Al-Jumaily, D. Greuet, J. Valmier, F. Scamps (France) 330
Involvement of the laterodorsal tegmental nucleus in the locomotor response to repeated nicotine administration
H.L. Alderson, M.P. Latimer, P. Winn (UK) 335
A yellow fluorescent protein-based assay for high-throughput screening of glycine and $GABA_A$ receptor chloride channels
W. Kruger, D. Gilbert, R. Hawthorne, D.H. Hryciw, S. Frings, P. Poronnik, J.W. Lynch (Australia, Germany) 340

Letter to the Editors
A response to Granqvist et al. "Sensed presence and mystical experiences are predicted by suggestibility, not by the application of transcranial weak magnetic fields"
M.A. Persinger, S.A. Koren (Canada) 346
Reply to M.A. Persinger and S.A. Koren's response to Granqvist et al. "Sensed presence and mystical experiences are predicted by suggestibility, not by the application of transcranial weak magnetic fields"
M. Larsson, D. Larhammar, M. Fredrikson, P. Granqvist (Sweden) 348

Author Index 351
Volume of Contents I